Attorney Docket No. 2004P00161WOUS

UNITED STATES PATENT AND TRADEMARK OFFICE 20 Rec'd PCINTO 24 JUL 2006

In re Application of:

Johann Magg et al

Application Number:

Unassigned

Filing Date:

Concurrently Herewith

Group Art Unit:

Examiner:

COFFEE MACHINE COMPRISING A HEIGHT-ADJUSTABLE SPOUT

Commissioner for Patents PO Box 1450 Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Sir:

In accordance with 37 C.F.R. 1.98, I am submitting a completed "INFORMATION DISCLOSURE STATEMENT BY APPLICANTS" (Form PTO/SB/08A) with patents and/or publications as delineated therein attached.

EP 1 199 016 discloses that the machine (1) is used for dispensing drinks. It has a front panel (5) at an angle alpha to the vertical which is adjustable in the direction of the arrows (A) to position the outlets (8,9) for steam and hot water at a suitable height. The outlets (10) for prepared drinks are independently height adjustable (B).

CH 636 254 discloses that the device comprises a cylinder (8) to which the hot water is sent. A piston (10) slides inside the cylinder (8) and moves a lever (11) acting on the probe (17). The lever (11) is lowered and stopped in different positions corresponding to different levels of coffee in the cup, by means of the manually adjustable screws (22, 22', 22"). The pipe communicating with said cylinder (8) is also in communication (6) with the spray plate (23) positioned above the coffee powder (9). When the coffee delivered into the cup reaches the intended level (D-E), the contact between the electrode (19) and the second electrode (19') of the probe electronically causes, by reversing the position of the solenoid valve (4), delivery to stop and the piston (10) to return to its initial position, the probe (17, 19, 19') being simultaneously pulled back up by the spring (12).

DE 37 42 930 discloses that a coffee machine has a coffee outlet (1) and a standing area (4) for accommodating vessels which receive the coffee. The coffee outlet (1) comprises

a first part (2) which is fixed with respect to the coffee machine and has a first outlet opening (6). A second part (7), displaceable like a slide, of the coffee outlet is arranged on said fixed part (2) in such a way that the coffee can, selectively, flow directly out of the first part (2) or into the second part (7). A pivotable, third part (10), which can be pivoted towards the coffee machine, is arranged on the second part (7). As a result, it is possible, selectively, to fill one or two cups, one or two small coffee pots or a large coffee pot. By means of the slide-like displaceability and the possibility of pivoting the third part (10) towards the coffee machine, soiling due to dripping-out coffee-beverage remains is avoided.

FR 2 489 130 a coffee-making machine, in particular an espresso machine, having an outflow channel for the prepared coffee, which leads to two outlets and distributes the coffee over the latter. In this case, the prepared coffee is to be distributed as evenly as possible over the two outlets, and in doing so the foam formed during the coffee preparation is to flow out with it in an unimpeded manner. It is proposed that the outflow channel (26; 426; 626) has a constriction (38; 438; 638), formed by side walls (28, 30; 428, 430), and a transverse wall (44, 46, 48; 444; 644) which divides the jet formed by the constriction into two partial streams to the outlets (40, 42; 640, 642).

DE 80 23 472 discloses a coffee machine, specifically an espresso machine, with an outlet channel for the prepared coffee which terminates in two outlets, between which the coffee is divided, characterized in that the outlet channel (26) incorporates a bottleneck (38) formed by the side walls (28 to 34), and a lateral partition (44, 46, 48) which divides the stream formed by the bottleneck into two partial streams which are then routed to the outlets (40, 42).

DE 298 10 291 discloses a drinks dispenser, specifically a coffee or espresso machine, with an outlet device for the beverage and a cup holder, in which the vertical distance between the outlet and the cup holder is continuously adjustable and can be permanently fixed by means of a locking device, which operates by the interaction of one moving element with one stationary element of the drinks dispenser, characterized in that the moving element or the stationary element incorporates at least one flat strip of a ferromagnetic material (16; 17; 28; 38), arranged substantially in the vertical plane, which interacts with at least one magnet arranged on the said stationary element or moving element.

If no translation of pertinent portions of any foreign language patents or publications mentioned within the "INFORMATION DISCLOSURE STATEMENT BY

Attorney Docket No. 2004P00161WOUS

APPLICANTS" is included with the aforementioned copies of those applications, patients 2006 and/or publications, it is because no existing translation is readily available to the Applicants. As per the Notice in 1273 OG 55 (August 5, 2003) no copies of any above-mentioned US patents and US patent application publications are submitted for this application which was filed after June 30, 2003.

Respectfully submitted

Registration No. 48,557

July 24, 2006

BSH Home Appliances Corp. 100 Bosch Blvd New Bern, NC 28562

Phone: 252-672-7930 Fax: 714-845-2807 craig.loest@bshg.com

AP20 Rec'd PCT/PTO 24 JUL 2006

PTO/SB/08A (08-03)
Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a decicion of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO

Sheet 1

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Co	mplete if Known
Application Number	Unissigned 5 271 62
Filing Date	Concurrently Herewith
First Named Inventor	Johann Magg et al
Art Unit	
Examiner Name	
Attorney Docket Number	2004P00161WOUS

Examiner Cit		Document Number	U. S. PATENT Publication Date	Name of Patentee or	Pages, Columns, Lines, Where
Initials*	No.1	Number-Kind Code ^{2 (F known)}	MM-DD-YYYY	Applicant of Cited Document	Relevant Passages or Relevant Figures Appear
/R.A./		^{US-} 5,992,298	11/30/1999	Francesco Illy et al	
/R.A./		^{US-} 2005/0005774	01/13/2005	Frank Fulgoni et al	
		US-			
	 	US-			
		US-			
	 	US-			1
		US-			
		US-			<u> </u>

FOREIGN PATENT DOCUMENTS						
Examinar Initials*	Cita No.1		Publication Data	Name of Patentee or Applicant of Cited Document	Pages, Columns, Linas, Whera Relevant Passages Or Relavant Figures Appear	Г
		Country Code ³ "Number ⁴ "Kind Code ⁵ (if known)	MM-DD-YYYY			T°
/R.A.		EP 1 199 016	04/24/2002	Frank Goeltenboth et al		
/R.A.		CH 636 254	05/31/1983	Cesare Balestrini et al		
/R.A./		DE 37 42 930	10/06/1988	Johann Volgger		
/R.A./		FR 2 489 130	04/22/1982	Udo Leuschner et al		
/R.A./		DE 80 23 472	02/18/1982	Bosch-Siemens Hausge		Ш
/R.A./		DE 298 10 291	09/17/1998	EUGSTER FRISMAG A		

Examiner Signature	/Reginald Alexander/	Date Considered	08/27/2009
-----------------------	----------------------	--------------------	------------

"EXAMINEE initial if reference considered, whether or not citation is in conformance with IMEP 508, Draw then though citation in the conformance and not considered, broadce copy of this form with next communication to epipleant." Applicants unique citation designation unable (prioral). *See Notice Codes of USPTO Patent Documents as in own. usable, one or WPEP 901.04. *Earth Office that issued the document, by the two-letter code (WIPD Sandard ST3). *For Japanese patent documents, the indication of the year of the rigin of the Emperor must precede the seefal number of the patent document. When the propriet is symbols as indicated on the document under WIPD Standard ST.16 if possible. *Applicant is to place a check mark here if English language Translation is attached.

Infrastation is allocified.

This collection of information is required by 3T CFR 197 and 158. The information is required to obtain or train a benefit by the polic which is to list (and by the collection of information). Confidentially is governed by 35 U.S.C. 122 and 3T CFR 1.14. The collection is estimated to take 2 hours to complete.

USPT 0 to process) an application. Confidentially is governed by 35 U.S.C. 122 and 3T CFR 1.14. The collection is estimated to take 2 hours to complete.

The collection is estimated by the collection of the coll

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.



PTO/SB/08A (08-03)
Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent end Trademerk Office; U.S. DEPARTMENT OF COMMERCE

08/27/2009

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

Substitute for form 1449/PTO

Sheet 2

Examiner

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

/Reginald Alexander/

Complete if Known		
Application Number	Unassigned 587166	
Filing Date	Concurrently Herewith	
First Named Inventor	Johann Magg et al	
Art Unit		
Examiner Name		
Attorney Docket Number	2004P00161WOUS	

U. S. PATENT DOCUMENTS Document Number Publication Date ages, Columns, Lines, Wher Applicant of Cited Document Relevant Passages or Relevent Number-Kind Code^{2 (F known)} Figures Appear US-US-US-US-US-US-U\$ US-US-US-US Ü\$-

FOREIGN PATENT DOCUMENTS						
Examiner Initials*	Cite No.	Foreign Patent Document	Publication Date	Neme of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages	
		Country Code ³ Number ⁴ Kind Code ⁵ (if known)	MM-DD-YYYY		Or Relevant Figures Appear	T ⁰
		International Search Report PCT/EP2003	V050325	***************************************		\mathbf{Z}
						Ш
	<u> </u>					ш

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP	
considered. Include copy of this form with next communication to epplicant. Applicant's unique	
USPTO Patent Documents at www.usplo.gov or MPEP 901.04. 3 Enter Office that issued the	
Japanese patent documents, the indication of the year of the reign of the Emperor must precede the	
the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible.	Applicant is to plece a check mark here if English lenguage

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.